

# Declaration of Performance



Norscot Joinery Limited  
Bower Workshops, Bower,  
Wick KW1 4TL



14

DoP No: .....5.....

Job No:.....

VEKA Matrix Glazed Double Door (French Door), intended for use in domestic or commercial refurbishment or new building applications.

Annex ZA.1 of BS EN 14351-1:2006 + A1:2010

Watertightness: **NPD**

Dangerous substances: **None released under normal indoor use.**

Resistance to wind load: **NPD**

Load-bearing capacity of safety devices: **Pass, 350N when fitted (1)**

Acoustic performance: **NPD**

Thermal transmittance:  $\leq 1.6 \text{ W/m}^2\text{K}$  (2)

Radiation properties: **NPD**

Air permeability: **NPD**


*A Factory Production Control (FPC) system is established, documented, maintained and accredited to ISO 9001: 2008. Certificate No 518, BM TRADA Certification Notified test Body No. 012.*

*(1) Report No. 310901 dated 19/09/2011 for restrictor – Exova Warringtonapt Notified Test Body No. 0621.*

*(2) Thermal Transmittance calculation approved by Buildcheck, Notified Test Body No 1806, Ref Report No CU13238-6 dated 20/06/2013*

Storage, Handling, Safety and Installation, Operation, Maintenance and Care instructions as well as Reach Regulations are available on line at [www.norscot.co.uk/windows-doors/CE-marking](http://www.norscot.co.uk/windows-doors/CE-marking)

Jason Fraser  
Name

  
Signed

Technical Director  
Position

6 January 2014, Bower Office  
Date and Place of Issue